

**Supplemental
Notice of Allowability**

Application No.

10/004,822

Examiner

DUC Q DINH

Applicant(s)

OZAWA, TOKURO

Art Unit

2674

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to telephone interview on January 14, 2005.
2. ☒ The allowed claim(s) is/are 1-11.
3. ☒ The drawings filed on 07 December 2001 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____. | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

DETAILED ACTION

1. This Office Action is response to the telephone interview on January 14, 2005.

Allowable Subject Matter

2. Claims 1-11 are allowed.

Reason for allowance

3. The following is an examiner's statement of reasons for allowance: the present invention related to a driving method and apparatus for an active matrix crystal display to reduce the power consumption. The closest prior art of Nagata et al. (U. S. Patent No. 5,706,023) shows a similar system. However, Nagata fails to disclose

“the counter electrode being a reference voltage that is unmodulated; and data line which becomes a voltage corresponding to a density on the basis of the reference voltage of said counter electrode and to a writing polarity of said liquid crystal capacitor when said scanning line is the on-voltage.” (claims 1).

“a low-level capacitor line which is maintained at a predetermined first voltage;

a high-level capacitor line which is maintained at a second voltage that is higher than said first voltage; and

a selector which selects either one of said low-level capacitor line and said high-level capacitor line depending on the voltage selection signal line, and applies the voltage to the other terminal of said storage capacitor” (claim 5 and 10, see the previous Office Action Allowable Subject Matter). Or

“the counter electrode being of a reference voltage that is unmodulated;

Art Unit: 2674

turning a voltage of said data line to a voltage difference corresponding to a density on the basis of the reference voltage of said counter electrode and to a writing polarity of said liquid crystal capacitor when said scanning line is the on voltage”.

These distinct features have been added to the above independent claims and renders them allowable.

4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled “Comments on Statement of Reasons for Allowance.”

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **DUC Q DINH** whose telephone number is **(703) 306-5412**. The examiner can normally be reached on Mon-Fri from 8:00.AM-4:00.PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, **RICHARD A HJERPE** can be reached on **(703) 305-4709**.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

Or faxed to:

Art Unit: 2674

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivery response should be brought to: Crystal Park II, 2121 Crystal Drive,
Arlington, Va Sixth Floor (Receptionist)

Any inquiry of a general nature or relating to the status of this application or proceeding
should be directed to the Technology Center 2600 Customer Service Office whose telephone
number is (703) 306-0377.

DUC Q DINH
Examiner
Art Unit 2674



REGINA LIANG
PRIMARY EXAMINER

DQD
January 28, 2005